

# Lotus Bay®


<b>Seating Capacity</b> .....	5-6 Adults
<b>Dimensions</b> .....	91 1/2" x 91 1/2" x 40", (233 cm x 233 cm x 102 cm)
<b>Dry Weight</b> .....	1,100 lbs (499 kg)
<b>Filled Weight (Average Fill)</b> .....	4,225 lbs (1,917 kg)
<b>Water Capacity (Average Fill)</b> .....	375 US gallons (1,420 Liters)
<b>Shipping Weight</b> .....	1,100 lbs (499 kg)
<b>Export Shipping Weight:</b> .....	<b>1,150 lbs (522 kg)</b>
<b>Electronic Controls</b> .....	D1 SmartHUB™ full color glass touch control panel; access to control jets, temperature, settings and maintenance schedule
<b>Pump 1</b> .....	North America (60 Hz): 2-Speed, 4.0 HP break, 2.5 HP continuous, 48 Frame
<b>Export (50 Hz):</b> .....	<b>2-Speed, 2.0 HP continuous</b>
<b>Pump 2</b> .....	North America (60 Hz): 1-Speed, 3.6 HP break, 2.5 HP continuous, 48 Frame
<b>Export (50 Hz):</b> .....	<b>1-Speed, 2.0 HP continuous</b>
<b>Pump 3</b> .....	North America (60 Hz): 1-Speed, 3.6 HP break, 2.5 HP continuous, 48 Frame
<b>Export (50 Hz):</b> .....	<b>1-Speed, 2.0 HP continuous</b>
<b>Circulation Pump</b> .....	Yes
<b>Fountain Pump</b> .....	Yes
<b>Filtration (factory default)</b> .....	24/7 Filtration (Purge Cycles 2 x 10 minutes)
<b>Total VCR Jets</b> .....	67
<b>Seat 1 Jets</b> .....	5 Mini Storm Rotator, 2 Power Storm Rotator, 2 Mini Storm Directional
<b>Seat 2 Jets</b> .....	2 Mini Storm Directional, 2 Mini Storm Rotator
<b>Seat 3 Jets</b> .....	10 Euro Cluster Storm Rotator, 4 Euro Cluster Storm Directional
<b>Seat 4 Max Therapy Seat Jets</b> .....	1 Pillow Mini Storm Rotator, 2 Pillow Cluster Shower Directional, 6 Mini Storm Rotator, 4 Power Storm Rotator, 2 Power Storm Directional
<b>Seat 5 Jets</b> .....	2 Euro Cluster Storm Rotator
<b>Seat 6 UltraLounge Jets</b> .....	1 Pillow Mini Storm Rotator, 2 Pillow Cluster Shower Directional, 9 Mini Storm Rotator, 6 Euro Cluster Storm Directional, 2 Euro Cluster Storm Rotator
<b>Seat 7 Jets</b> .....	2 Euro Cluster Storm Rotator
<b>Footwell (8)</b> .....	1 Typhoon
<b>Massage Selectors</b> .....	1
<b>Special Features</b> .....	Tactile Therapy, Spa Status Light, Echo Switch, 2 Flex Therapy Pillow, UltraLounge, Max Therapy Seat, 2 Dynamic Massage Sequence
<b>Water Management System</b> .....	UltraPure™ Plus; Two 75 ft filter cartridge; 8" Weir
<b>LED Lighting</b> .....	Liquid FX™
<b>Optional</b> .....	Exterior Lights
<b>Synthetic Cabinet Colors</b> .....	Adobe Tan, Stoneridge Grey, Mayan Brown
<b>Terracina Cabinet (Optional)</b> .....	Driftwood, Cherry, Summer Pine, Vintage Cedar, Midnight Maple
<b>Acrylic Colors</b> .....	Moonstone, UltraLife, Sand, Sunstone, Smoked Marble, Blue Topaz, Gray Marble, Desert Stone
<b>Headrests</b> .....	4 Standard, 2 Flex Therapy Pillow
<b>Water Feature</b> .....	Fountain with independent flow rate (on or off) adjustment; powered by the fountain pump
<b>Heater</b> .....	Fast Flow 2.1, 3.4, 5.5 kW
<b>Export (50 Hz):</b> .....	<b>Fast Flow 2.1, 3.4, 5.5 kW</b>
<b>Electrical Requirements:</b> .....	North America (60 Hz): 240 VAC@40A or 50A <b>Export (50 Hz): 230 VAC@1x32A, 2x16A, 3x16A or suitably rated circuit breaker to comply with local electrical codes. Certain countries may require dual power inputs</b>
<b>Warranty*</b> .....	North America (60 Hz): Lifetime for UltraLife Shell Structure, 7 Years Acrylic Shell Structure, 5 Years Plumbing, 5 Years Equipment and Controls, Lifetime for EnviroTect Cabinet, 7 Years for Terracina Cabinet, 1 Year Water Purification System, 2 Years for Jet Insert, 1 Year for Jet Escutcheon, 2 Years Lights, 1 Year Stereo; <b>Export (50 Hz): 10 Years for UltraLife Shell Structure, 7 Years Acrylic Shell Structure, 5 Years Plumbing, 5 Years Equipment and Controls, 5 Years for EnviroTect Cabinet, 2 Years for Terracina Cabinet, 1 Year Water Purification System, 2 Years for Jet Insert, 1 Year for Jet Escutcheon, 2 Years Lights, 1 Year Stereo</b>
<b>Audio System (Optional)</b> .....	Fully Integrated Stereo System with Bluetooth capability, 4 premium speakers and a subwoofer
<b>Wi-Fi (Optional)</b> .....	D1 Connect App



\*(See Warranty Document for Specific Details)

# Lotus Bay

## Massage Selector Diagram



DV1 A =Diverter Valve 1 (A position Counter Clockwise)  
 DV1 B =Diverter Valve 1 (B Position Clockwise)  
 DV1 C =Diverter Valve 1 (Neutral Position)  
 DV2 A =Diverter Valve 2 (A position Counter Clockwise)  
 DV2 B =Diverter Valve 2 (B Position Clockwise)  
 DV2 C =Diverter Valve 2 (Neutral Position)

All drains and skimmer tied in common loop.

Spa Operation Subject to Change without Notice

## Seat Depths

- 1 = 23.00" (58.42 cm)
- 2 = 25.00" (63.50 cm)
- 3 = 27.00" (68.58 cm)
- 4 = 30.00" (76.20 cm)
- 5 = 14.00" (35.56 cm)
- 6 = 29.00" (73.66 cm)

- 7 = 18.00" (45.72 cm)
- 8 = 34.00" (86.36 cm)


Listed dimensions represent distance from top of acrylic to lowest point in seat. Tolerance  $\pm 0.5"$  (1.27 cm).



Dimensions/Specifications are Subject to Change Without Notice

# Lotus Bay

## Jet Designation





Dimensions/Operation/Specifications are Subject to Change Without Notice

### 67 Total Jets


### Total Jets



# Lotus Bay



**\*Caution:** Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. **If site planning is critical to such tolerances, be sure to measure your actual spa.**



Note: 1. Subject to change without notice.

Dimensions/Specifications are Subject to Change Without Notice (Tolerance  $\pm 0.5"$  [1.27 cm]).